

Suitability List for LOBA® Primers/Sealers

European Wood Species

Wood Species	LOBA® WS EasyPrime	LOBA® HS GlobaSeal
Acacia / Yellow Locust	0	+
Acacia / Yellow Locust steamed	0	+
Alder	+	+
Ash	+	+
Beech natural	+	+
Beech steamed	+	0
Birch	+	+
Black cherry	+	+
Cherry (European)	+	+
Chestnut tree	+	+
Elm	+	+
Larch	+	+
Maple (Canadian)	+	+
Maple (European)	+	+
Olive tree	0	+
Pear tree	-	0
Pine	+	+
Smoked oak	0	+
Spruce	+	+
Walnut (European)	+	+
White Oak	+	+

Tropical Wood Species

Wood Species	LOBA® WS EasyPrime	LOBA® HS GlobaSeal
Afromosia / Kokrodua	+	+
Arrurra Vermelho	-	+
Bamboo	+	0 ²
basralocus wood	+	+
Cabreuva	+	+
Camwood	+	+
Coconut	+	+
Coigue	+	+
Cumaru / Almendrillo	+	+
Curupau	+	+
Cypress	+	+
Doussie / Afzelia	+	+
Ebony	+	- ²
Eucalyptus / Jarrah	+	+
Eucalyptus / Spottet Gum	+	+
Guatambu	+	+
Hard Pine (new floors)	+	+
Inciense Colorado	+	+
Ipe / Lapacho / Guaycan	0	0*
Iroko / Kambala	-	-
Iron Wood	+	+
Jatoba / Brazilian Cherry	+	+
Kempas	0	-
Kotibe / Mahagoni	+	+
Mahogany	+	+
Massaranduba	+	+
Mecrusse	+	+
Moluccan Ironwood	+	+
Muhuhu	-	+
Mutenye	+	+
Mutenye	+	+
Opepe	+	+
Partridge Wood	+	+
Piguia Marfin	-	+
Pitch Pine (old floors)	+	+
Purpleheart	- ³	+
rosewood	+	-
Rubberwood	+	+
Sucupira	+	+
Tasmanien Oak	+	+
Tuari	+	+
Teak	+	+
Tigerwood	+	+
Wenige	+	+
Yvyraro	+	+

+ = without limitation applicable
0 = Application can cause problems. Consult LOBA prior to use.
- = use is not recommended
* coloring, with GlobaSeal long drying
² Hard, sense surface
³ No adhesion

Other surfaces apart from hardwood

Chipboard	+	0
Multiplex	+	0
OSB Board	+	0