



LOBASAND 

## Premium quality sanding products and pads.

With our LOBASAND product range, we offer professionals a wide range of top-quality sanding products and pads. The high-performance materials and carrier technologies used guarantee effective working with all commonly available machines and deliver the best results.

**SAND STRONG.  
FINISH EASY.**



LOBA – Your partner for surface finishing and care

## Sanding materials: three materials, different advantages



**Premium  
CERAMIC**



**Dynamic  
ZIRCON**



**Classic  
ALUMINIUM OXIDE**

### For the most beautiful sanding pattern and the best tool life

- Achieves the best sanding pattern
- Very long tool life
- Extremely heat resistant
- Best price-performance ratio on the market, as very resilient
- Suitable for all surface treatments
- For sanding UV-coated floors

### For fast results and a high removal rate

- Fast removal
- Highly aggressive
- Clogs less because of half-open spreading
- Good heat resistance
- 100% zircon, unique selling proposition on the market

### For price-conscious projects




- Leaves fewer visible scratches
- Low-cost price per unit
- Good for preparation for subsequent impregnation or colouring

## Advantages at a glance

	CERAMIC	ZIRCON	ALUMINIUM OXIDE
Uniform surface appearance	✓ ✓		✓
Fast removal	✓	✓ ✓	
Price per unit		✓	✓ ✓

# LOBA sanding recommendations: the right combination for every purpose






## Standard sanding recommendation For old and new parquet

COARSE	<b>P40 Zircon</b> for fast removal	
MEDIUM	<b>P60 Ceramic</b> for more effective removal with a long tool life	
FINE	<b>P100 Ceramic</b> for an even sanding pattern	
EDGE	<b>P40 Zircon</b> for fast removal and <b>P80 Ceramic</b> or more effectiveness and a fine sanding pattern	



**PRO TIP:**  
To even out sanding marks at the edges and on the surface:  
**PerforatedPad P100/P120 with DustPad**





## High demands on the sanding result For preparation for colouring or oiling

COARSE	<b>P40 Zircon</b> for fast removal	
MEDIUM	<b>P80 Ceramic</b> for more effective removal with a long tool life	
FINE	<b>P120 Ceramic</b> for an even sanding pattern	
EDGE	<b>P40 Zircon</b> for fast removal and <b>P80 Ceramic</b> or more effectiveness and a fine sanding pattern	
	<b>P100 Aluminium Oxide</b> with random orbital sander	



**PRO TIP:**  
To even out sanding marks at the edges and on the surface:  
**PerforatedPad P100/P120 with DustPad**

## Effective for property and residential construction For sanding parquet (parallel bracing) ready for varnishing



COARSE	<b>P50 Zircon</b> for fast removal	
MEDIUM	<b>P80 Ceramic</b> for more effective removal with a long tool life	
FINE	<b>P80 PerforatedPad with DustPad</b>	
EDGE	<b>P40 Zircon</b> for fast removal and <b>P80 Ceramic</b> for more effectiveness and a fine sanding pattern	















Videos of sanding recommendations



## Sanding materials: Product overview

Product	CERAMIC	Article No.	Dimensions	Coarse sanding				Medium sanding				Fine sanding		Final sanding		Intermediate sanding		
Belt		17107-000...	200 x 750 mm			P36	P40		P50	P60	P80		P100	P120				
		17103-250...	250 x 750 mm			P36	P40		P50	P60	P80		P100	P120				
Velcro disc 15-hole		17161-150...	ø 150 mm					P40		P60		P80	P100	P120				P180
Velcro disc		17160-140...	ø 140 mm					P40		P60								
		17159-150...	ø 150 mm		P24	P36		P40	P50	P60		P80	P100	P120				
		17160-200...	ø 200 mm		P24	P36		P40	P50	P60		P80	P100	P120	P150	P180		
Velcro disc 1-hole		17170-178...	ø 178 mm		P24	P36		P40	P50	P60		P80	P100	P120				

Product	ZIRCON	Article No.	Dimensions	Coarse sanding				Medium sanding				Fine sanding		Final sanding		Intermediate sanding		
Belt		17105-000...	200 x 750 mm		P24	P36	P40		P50	P60	P80		P100	P120				
		17101-250...	250 x 750 mm			P36	P40		P50	P60	P80		P100	P120				
Velcro disc 9-hole		17140-125...	ø 125 mm					P40		P60		P80	P100	P120				
Velcro disc 15-hole		17173-150...	ø 150 mm					P40		P60		P80	P100	P120				P180
Velcro disc		17112-140...	ø 140 mm			P36				P60			P100	P120				
		17112-150...	ø 150 mm		P24	P36		P40		P60		P80	P100	P120				
		17112-200...	ø 200 mm							P60		P80	P100	P120				
Velcro disc 1-hole		17171-178...	ø 178 mm		P24	P36		P40	P50	P60		P80	P100	P120				

Product	ALUMINIUM OXIDE	Article No.	Dimensions	Coarse sanding				Medium sanding				Fine sanding		Final sanding		Intermediate sanding		
Belt		17101-000...	200 x 750 mm	P16	P24	P36	P40		P50	P60	P80		P100	P120				
Velcro disc 15-hole		17142-150...	ø 150 mm		P24	P36		P40		P60		P80	P100	P120				
Velcro disc		17111-150...	ø 150 mm	P16	P24	P36		P40		P60		P80	P100	P120				
Velcro disc		17110-178...	ø 178 mm	P16	P24	P36		P40		P60		P80	P100	P120				
Velcro disc		17115-200...	ø 200 mm					P40		P60		P80	P100	P120				
Velcro strip		17060-000240	81 x 133 mm															P240
Triangle		17041-000...	ø 80 mm				P40			P60		P80	P100					

## Other sanding products and pads

Product		Article No.	Dimensions Grain size	Range of use
SpecialPad beige		16550-406410	ø 406 x 10 mm	Levelling
Pad for pad holder beige		16550-250210	250 x 120 x 10 mm	Levelling
HandPad set beige		16555-000000	85 x 135 x 10 mm	Levelling
SpecialPad green		16550-406420	ø 406 x 10 mm	Thorough cleaning
SuperPad green		16551-119452	ø 406 x 20 mm	Thorough cleaning
Pad for pad holder green		16550-250310	250 x 120 x 10 mm	Thorough cleaning
ScrubberPad black		16552-406010	ø 406 mm	Thorough cleaning
NormalPad white		16550-124352	ø 406 x 10 mm	Polishing
SuperPad white		16551-124662	ø 406 x 20 mm	Polishing
Polishing fleece		16560-000000	ø 406 mm	Intermediate sanding
DustPad violett		17039-410000	ø 410 mm	Dust reduction
PerforatedPad yellow		17037-410...	ø 410 mm 80/100/120/150/180	For single-disc machines (fine and intermediate sanding)
Net		17025-406...	ø 406 mm 60/80/100/120/150/180	For single-disc machines (fine and intermediate sanding)
DoubleDisc		17021-000...	ø 406 mm 16/24/36/40/60/80/100/120	For single-disc machines
Adhesive fabric		17010-178000	ø 178 mm	For circular sanding machines
Pad holder with telescopic rod		16553-000000	Extendable to 97-184 cm	Levelling and thorough cleaning

## The label

For optimum handling, the box label provides all information on the sanding products contained at a glance: product names, dimensions and the size of the packaging unit are clearly visible. A colour code identifies the material used and the grain size is also stated. In addition, pictograms provide information about the shape and other specific characteristics.

	LOBASAND		
Product name	Klett / Velcro Disc Zirconia 9-loch P80		
Dimensions	Ø 125 mm / 5" 9-hole		
Packaging unit	50x		17140-125080-000
Material	Zirkon P80		

Article no. 17140-125080-000

EAN code

Grain size P80

Velcro

Shape: Belt Disc star-shaped Roll  
 Disc Disc 9-hole Triangle  
 Disc centre hole Disc 15-hole Stripe

LOBA GmbH & Co. KG  
 Leonberger Str. 56-62  
 71254 Ditzingen  
 Germany  
 Tel.: +49 7156 357-0  
 Fax: +49 7156 357-211  
 E-mail: [service@loba.de](mailto:service@loba.de)  
[www.loba.de](http://www.loba.de)

