

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/28/2022

Reviewed on 03/28/2022

1 Identification

- **Product identifier**
- **Trade name:** LOBATOOL Repairset
- **Article number:** 16351-250
- **Application of the substance / the mixture** Coating material
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Loba Wakol LLC
2732 Hwy 74 West
Wadesboro, NC 28170
Phone: (800) 230-6456
Email: info@loba-wakol.com
- **Emergency telephone number:**
Emergency CONTACT (24-Hour-Number)
GBK/Infotrac ID 112404 : (USA domestic) 1 800 535 5053

2 Hazard(s) identification

- **Classification of the substance or mixture**
The product is not classified, according to the Globally Harmonized System (GHS).
- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

HEALTH	0	Health = 0
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

Dangerous components:

CAS: 111-76-2 EINECS: 203-905-0	2-Butoxyethanol ⚠ Acute Toxicity - Dermal 3, H311; ⚠ Acute Toxicity - Oral 4, H302; Acute Toxicity - Inhalation 4, H332; Skin Irritation 2, H315; Eye Irritation 2A, H319; Flammable Liquids 4, H227	<2.5%
CAS: 5131-66-8 EINECS: 225-878-4	1-Butoxy-2-propanol ⚠ Acute Toxicity - Inhalation 3, H331; ⚠ Skin Irritation 2, H315; Eye Irritation 2A, H319; Flammable Liquids 4, H227	<2.5%

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/28/2022

Reviewed on 03/28/2022

Trade name: **LOBATOOL Repairset**

(Contd. of page 1)

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-1:		
111-76-2	2-Butoxyethanol	60 ppm
· PAC-2:		
111-76-2	2-Butoxyethanol	120 ppm
· PAC-3:		
111-76-2	2-Butoxyethanol	700 ppm

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/28/2022

Reviewed on 03/28/2022

Trade name: **LOBATOOL Repairset**

(Contd. of page 2)

- **Storage class:** 12
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
At this time, the remaining constituent has no known exposure limits.

111-76-2 2-Butoxyethanol

PEL	Long-term value: 240 mg/m ³ , 50 ppm Skin
REL	Long-term value: 24 mg/m ³ , 5 ppm Skin
TLV	Long-term value: 20 ppm BEI, A3

- **Ingredients with biological limit values:**

111-76-2 2-Butoxyethanol

BEI	200 mg/g creatinine Medium: urine Time: end of shift Parameter: Butoxyacetic acid (BAA) (with hydrolysis)
-----	--

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not required.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
Nitrile rubber, NBR
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
Recommended thickness of the material: ≥ 0.4 mm
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).
Value for the permeation: Level ≤ 6
- **Eye protection:** Goggles recommended during refilling.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/28/2022

Reviewed on 03/28/2022

Trade name: **LOBATOOL Repairset**

(Contd. of page 3)

9 Physical and chemical properties

· Information on basic physical and chemical properties	
· General Information	
· Appearance:	
· Form:	Fluid
· Color:	Colorless
· Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value: Not determined.	
· Change in condition	
· Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	100 °C (212 °F)
· Flash point: Not applicable.	
· Flammability (solid, gaseous): Not applicable.	
· Decomposition temperature: Not determined.	
· Auto igniting: Product is not selfigniting.	
· Danger of explosion: Product does not present an explosion hazard.	
· Lower:	2.2 Vol %
· Upper:	14 Vol %
· Vapor pressure at 20 °C (68 °F): 11 hPa (8.3 mm Hg)	
· Density at 20 °C (68 °F): 1.26 g/cm ³ (10.5147 lbs/gal)	
· Relative density Not determined.	
· Vapor density Not determined.	
· Evaporation rate Not determined.	
· Solubility in / Miscibility with Water: Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/water): Not determined.	
· Viscosity:	
· Dynamic:	Not determined.
· Kinematic at 20 °C (68 °F):	30 s (ISO 3 mm)
· Solids content: 26.4 %	
· Other information No further relevant information available.	

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

US

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/28/2022

Reviewed on 03/28/2022

Trade name: **LOBATOOL Repairset**

(Contd. of page 4)

11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

111-76-2 2-Butoxyethanol

Oral	LD50	1,200 mg/kg (ATE) 1,480 mg/kg (rat)
Dermal	LD50	400 mg/kg (rab)
Inhalative	LC50/4 h	450 mg/l (rat)

5131-66-8 1-Butoxy-2-propanol

Oral	LD50	3,300 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
Inhalative	LC50/4 h	>3.4 mg/l (rat)

- **Primary irritant effect:**

- **on the skin:** No irritant effect.

- **on the eye:** No irritating effect.

- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

111-76-2	2-Butoxyethanol	3
----------	-----------------	---

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

-US

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/28/2022

Reviewed on 03/28/2022

Trade name: **LOBATOOL Repairset**

(Contd. of page 5)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
After prior treatment product has to be landfilled or incinerated adhering to the regulations pertaining to the disposal of especially hazardous waste.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|---|-----------------|
| · UN-Number | |
| · DOT, ADR, ADN, IMDG, IATA | not regulated |
| · UN proper shipping name | |
| · DOT, ADR, ADN, IMDG, IATA | not regulated |
| · Transport hazard class(es) | |
| · DOT, ADR, ADN, IMDG, IATA | |
| · Class | not regulated |
| · Packing group | |
| · DOT, ADR, IMDG, IATA | not regulated |
| · Environmental hazards: | Not applicable. |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | not regulated |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **TSCA (Toxic Substances Control Act):** All components are on the TSCA inventory

· Hazardous Air Pollutants
None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:
None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:
None of the ingredients is listed.

- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/28/2022

Reviewed on 03/28/2022

Trade name: **LOBATOOL Repairset**

(Contd. of page 6)

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H227 Combustible liquid.
 H302 Harmful if swallowed.
 H311 Toxic in contact with skin.
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H331 Toxic if inhaled.
 H332 Harmful if inhaled.

- **Department issuing SDS:** Productmanagement.

- **Contact:**

- **Date of preparation / last revision** 03/28/2022 / -

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 OSHA: Occupational Safety & Health
 TLV: Threshold Limit Value
 PEL: Permissible Exposure Limit
 REL: Recommended Exposure Limit
 BEI: Biological Exposure Limit
 Flammable Liquids 4: Flammable liquids – Category 4
 Acute Toxicity - Oral 4: Acute toxicity – Category 4
 Acute Toxicity - Dermal 3: Acute toxicity – Category 3
 Skin Irritation 2: Skin corrosion/irritation – Category 2
 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

- *** Data compared to the previous version altered.**

Sicherheitsdatenblatt

gemäß 1907/2006/EG, Artikel 31

Druckdatum: 28.03.2022

Versionsnummer 1

überarbeitet am: 28.03.2022

1 Bezeichnung des Stoffs beziehungsweise des Gemischs und des Unternehmens

- **Produktidentifikator**
- **Handelsname:** LOBATOOL Repairset
- **Artikelnummer:** 16351-250
- **Verwendung des Stoffes / des Gemisches** Beschichtungsstoff
- **Einzelheiten zum Lieferanten, der das Sicherheitsdatenblatt bereitstellt**
- **Hersteller/Lieferant:**
Loba Wakol LLC
2732 Hwy 74 West
Wadesboro, NC 28170
Phone: (800) 230-6456
Email: info@loba-wakol.com
- **Notrufnummer:**
Emergency CONTACT (24-Hour-Number)
GBK/Infotrac ID 112404 : (USA domestic) 1 800 535 5053

2 Mögliche Gefahren

- **Einstufung des Stoffes oder Gemischs**
Das Produkt ist gemäß GHS (Globally Harmonized System) nicht eingestuft.

- **Kennzeichnungselemente**
- **GHS-Kennzeichnungselemente** entfällt
- **Gefahrenpiktogramme** entfällt
- **Signalwort** entfällt
- **Gefahrenhinweise** entfällt
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **Sonstige Gefahren**
- **Ergebnisse der PBT- und vPvB-Beurteilung**
- **PBT:** Nicht anwendbar.
- **vPvB:** Nicht anwendbar.

3 Zusammensetzung/Angaben zu Bestandteilen

- **Chemische Charakterisierung: Gemische**
- **Beschreibung:** Gemisch aus nachfolgend angeführten Stoffen mit ungefährlichen Beimengungen.

· **Gefährliche Inhaltsstoffe:**

CAS: 111-76-2 EINECS: 203-905-0 Indexnummer: 603-014-00-0	2-Butoxyethanol ⚠ Akut Tox. 3, H311; ⚠ Akut Tox. 4, H302; Akut Tox. 4, H332; Hautreiz. 2, H315; Eye Irritation 2A, H319; Entz. Fl. 4, H227	<2,5%
CAS: 5131-66-8 EINECS: 225-878-4 Indexnummer: 603-052-00-8	1-Butoxy-2-propanol ⚠ Akut Tox. 3, H331; ⚠ Hautreiz. 2, H315; Eye Irritation 2A, H319; Entz. Fl. 4, H227	<2,5%

- **Additional information:** Der Wortlaut der angeführten Gefahrenhinweise ist dem Abschnitt 16 zu entnehmen.

DE

(Fortsetzung auf Seite 2)

Sicherheitsdatenblatt

gemäß 1907/2006/EG, Artikel 31

Druckdatum: 28.03.2022

Versionsnummer 1

überarbeitet am: 28.03.2022

Handelsname: LOBATOOL Repairset

(Fortsetzung von Seite 1)

4 Erste-Hilfe-Maßnahmen

- **Beschreibung der Erste-Hilfe-Maßnahmen**
- **Allgemeine Hinweise:** Keine besonderen Maßnahmen erforderlich.
- **nach Einatmen:** Frischluftzufuhr, bei Beschwerden Arzt aufsuchen.
- **nach Hautkontakt:** Im allgemeinen ist das Produkt nicht hautreizend.
- **nach Augenkontakt:** Augen bei geöffnetem Lidspalt mehrere Minuten mit fließendem Wasser spülen.
- **nach Verschlucken:** Bei anhaltenden Beschwerden Arzt konsultieren.
- **Hinweise für den Arzt:**
- **Wichtigste akute und verzögert auftretende Symptome und Wirkungen**
Keine weiteren relevanten Informationen verfügbar.
- **Hinweise auf ärztliche Soforthilfe oder Spezialbehandlung**
Keine weiteren relevanten Informationen verfügbar.

5 Maßnahmen zur Brandbekämpfung

- **Löschmittel**
- **Geeignete Löschmittel:** Feuerlöschmaßnahmen auf die Umgebung abstimmen.
- **Besondere vom Stoff oder Gemisch ausgehende Gefahren**
Keine weiteren relevanten Informationen verfügbar.
- **Hinweise für die Brandbekämpfung**
- **Besondere Schutzausrüstung:** Keine besonderen Maßnahmen erforderlich.

6 Maßnahmen bei unbeabsichtigter Freisetzung

- **Personenbezogene Vorsichtsmaßnahmen, Schutzausrüstungen und in Notfällen anzuwendende Verfahren**
Nicht erforderlich.
- **Umweltschutzmaßnahmen:**
Nicht in die Kanalisation oder in Gewässer gelangen lassen.
Bei Eindringen in Gewässer oder Kanalisation zuständige Behörden benachrichtigen.
- **Methoden und Material für Rückhaltung und Reinigung:**
Mit flüssigkeitsbindendem Material (Sand, Kieselgur, Säurebinder, Universalbinder, Sägemehl) aufnehmen.
- **Verweis auf andere Abschnitte**
Informationen zur sicheren Handhabung siehe Abschnitt 7.
Informationen zur persönlichen Schutzausrüstung siehe Abschnitt 8.
Informationen zur Entsorgung siehe Abschnitt 13.
- **Protective Action Criteria for Chemicals**

· PAC-1:		
111-76-2	2-Butoxyethanol	60 ppm
· PAC-2:		
111-76-2	2-Butoxyethanol	120 ppm
· PAC-3:		
111-76-2	2-Butoxyethanol	700 ppm

7 Handhabung und Lagerung

- **Handhabung:**
- **Schutzmaßnahmen zur sicheren Handhabung** Keine besonderen Maßnahmen erforderlich.
- **Hinweise zum Brand- und Explosionsschutz:** Keine besonderen Maßnahmen erforderlich.
- **Bedingungen zur sicheren Lagerung unter Berücksichtigung von Unverträglichkeiten**
- **Lagerung:**
- **Anforderung an Lagerräume und Behälter:** Keine besonderen Anforderungen.
- **Zusammenlagerungshinweise:** nicht erforderlich

(Fortsetzung auf Seite 3)

Sicherheitsdatenblatt

gemäß 1907/2006/EG, Artikel 31

Druckdatum: 28.03.2022

Versionsnummer 1

überarbeitet am: 28.03.2022

Handelsname: LOBATOOL Repairset

(Fortsetzung von Seite 2)

- **Weitere Angaben zu den Lagerbedingungen:** keine
- **Lagerklasse:** 12
- **Spezifische Endanwendungen** Keine weiteren relevanten Informationen verfügbar.

8 Begrenzung und Überwachung der Exposition/Persönliche Schutzausrüstungen

- **Zusätzliche Hinweise zur Gestaltung technischer Anlagen:** Keine weiteren Angaben, siehe Abschnitt 7.
- **Zu überwachende Parameter**
- **Bestandteile mit arbeitsplatzbezogenen, zu überwachenden Grenzwerten:**
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
At this time, the remaining constituent has no known exposure limits.

111-76-2 2-Butoxyethanol

AGW	Langzeitwert: 49 mg/m ³ , 10 ml/m ³ 4(II);EU, H, Y, AGS
-----	--

- **Bestandteile mit biologischen Grenzwerten:**

111-76-2 2-Butoxyethanol

BGW	150 mg/g Kreatinin Untersuchungsmaterial: Urin Probennahmezeitpunkt: Expositionsende bzw. Schichtende, bei Langzeitexposition: am Schichtende nach mehreren vorangegangenen Schichten Parameter: Butoxyessigsäure (nach Hydrolyse)
-----	---

- **Zusätzliche Hinweise:** Als Grundlage dienen die bei der Erstellung gültigen Listen.
- **Begrenzung und Überwachung der Exposition**
- **Persönliche Schutzausrüstung:**
- **Allgemeine Schutz- und Hygienemaßnahmen:**
Die üblichen Vorsichtsmaßnahmen beim Umgang mit Chemikalien sind zu beachten.
- **Atenschutz:** nicht erforderlich.
- **Handschutz:**
Das Handschuhmaterial muss undurchlässig und beständig gegen das Produkt / den Stoff / die Zubereitung sein.
Auswahl des Handschuhmaterials unter Beachtung der Durchbruchzeiten, Permeationsraten und der Degradation.
- **Handschuhmaterial**
Nitrilkautschuk
Die Auswahl eines geeigneten Handschuhs ist nicht nur vom Material, sondern auch von weiteren Qualitätsmerkmalen abhängig und von Hersteller zu Hersteller unterschiedlich. Da das Produkt eine Zubereitung aus mehreren Stoffen darstellt, ist die Beständigkeit von Handschuhmaterialien nicht vorausberechenbar und muß deshalb vor dem Einsatz überprüft werden.
Empfohlene Materialstärke: $\geq 0,4$ mm
- **Durchdringungszeit des Handschuhmaterials**
Die genaue Durchbruchzeit ist beim Schutzhandschuhhersteller zu erfahren und einzuhalten.
Für das Gemisch nachfolgend genannter Chemikalien muss die Durchbruchzeit mindestens 480 Minuten (Permeation gemäß EN 374 Teil 3: Level 6) betragen.
Wert für die Permeation: Level 6
- **Augenschutz:** Beim Umfüllen Schutzbrille empfehlenswert.

9 Physikalische und chemische Eigenschaften

- **Angaben zu den grundlegenden physikalischen und chemischen Eigenschaften**
- **Allgemeine Angaben**
- **Aussehen:**
Form: flüssig

(Fortsetzung auf Seite 4)

Sicherheitsdatenblatt

gemäß 1907/2006/EG, Artikel 31

Druckdatum: 28.03.2022

Versionsnummer 1

überarbeitet am: 28.03.2022

Handelsname: LOBATOOL Repairset

(Fortsetzung von Seite 3)

· Farbe:	farblos
· Geruch:	charakteristisch
· Geruchsschwelle:	Nicht bestimmt.
· pH-Wert:	Nicht bestimmt.
· Zustandsänderung	
Schmelzpunkt/Gefrierpunkt:	Nicht bestimmt
Siedebeginn und Siedebereich:	100 °C
· Flammpunkt:	Nicht anwendbar
· Entzündbarkeit (fest, gasförmig):	Nicht anwendbar.
· Zersetzungstemperatur:	Nicht bestimmt.
· Selbstentzündungstemperatur:	Das Produkt ist nicht selbstentzündlich.
· Explosive Eigenschaften:	Das Produkt ist nicht explosionsgefährlich.
untere:	2,2 Vol %
obere:	14 Vol %
· Dampfdruck bei 20 °C:	11 hPa
· Dichte bei 20 °C:	1,26 g/cm ³
· Relative Dichte	Nicht bestimmt.
· Dampfdichte	Nicht bestimmt.
· Verdampfungsgeschwindigkeit	Nicht bestimmt.
· Löslichkeit in / Mischbarkeit mit Wasser:	nicht bzw. wenig mischbar
· Verteilungskoeffizient: n-Octanol/Wasser:	Nicht bestimmt.
· Viskosität:	
dynamisch:	Nicht bestimmt.
kinematisch bei 20 °C:	30 s (ISO 3 mm)
· Festkörpergehalt:	26,4 %
· Sonstige Angaben	Keine weiteren relevanten Informationen verfügbar.

10 Stabilität und Reaktivität

- **Reaktivität** Keine weiteren relevanten Informationen verfügbar.
- **Chemische Stabilität**
- **Thermische Zersetzung / zu vermeidende Bedingungen:** Keine Zersetzung bei bestimmungsgemäßer Verwendung.
- **Möglichkeit gefährlicher Reaktionen** Keine gefährlichen Reaktionen bekannt.
- **Zu vermeidende Bedingungen** Keine weiteren relevanten Informationen verfügbar.
- **Unverträgliche Materialien:** Keine weiteren relevanten Informationen verfügbar.
- **Gefährliche Zersetzungsprodukte:** keine gefährlichen Zersetzungsprodukte bekannt.

11 Toxikologische Angaben

- **Angaben zu toxikologischen Wirkungen**
- **Akute Toxizität**

· **Einstufungsrelevante LD/LC50-Werte:**

111-76-2 2-Butoxyethanol

Oral	LD50	1.200 mg/kg (ATE)
		1.480 mg/kg (Ratte)

(Fortsetzung auf Seite 5)

Sicherheitsdatenblatt

gemäß 1907/2006/EG, Artikel 31

Druckdatum: 28.03.2022

Versionsnummer 1

überarbeitet am: 28.03.2022

Handelsname: LOBATOOL Repairset

(Fortsetzung von Seite 4)

Dermal	LD50	400 mg/kg (rab)
Inhalativ	LC50/4 h	450 mg/l (Ratte)
5131-66-8 1-Butoxy-2-propanol		
Oral	LD50	3.300 mg/kg (Ratte)
Dermal	LD50	>2.000 mg/kg (Ratte)
Inhalativ	LC50/4 h	>3,4 mg/l (Ratte)

- **Primäre Reizwirkung:**
- **Ätz-/Reizwirkung auf die Haut** Keine Reizwirkung
- **Schwere Augenschädigung/-reizung** Keine Reizwirkung
- **Sensibilisierung der Atemwege/Haut** keine sensibilisierende Wirkung bekannt
- **Zusätzliche toxikologische Hinweise:**

Das Produkt ist nicht kennzeichnungspflichtig aufgrund des Berechnungsverfahrens der Allgemeinen Einstufungsrichtlinie für Zubereitungen der EG in der letztgültigen Fassung.
Bei sachgemäßem Umgang und bestimmungsgemäßer Verwendung verursacht das Produkt nach unseren Erfahrungen und den uns vorliegenden Informationen keine gesundheitsschädlichen Wirkungen.

- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)		
111-76-2	2-Butoxyethanol	3

- **NTP (National Toxicology Program)**

Keiner der Inhaltsstoffe ist enthalten.

- **OSHA (Occupational Safety & Health Administration)**

Keiner der Inhaltsstoffe ist enthalten.

12 Umweltbezogene Angaben

- **Toxizität**
- **Aquatische Toxizität:** Keine weiteren relevanten Informationen verfügbar.
- **Persistenz und Abbaubarkeit** Keine weiteren relevanten Informationen verfügbar.
- **Verhalten in Umweltkompartimenten:**
- **Bioakkumulationspotenzial** Keine weiteren relevanten Informationen verfügbar.
- **Mobilität im Boden** Keine weiteren relevanten Informationen verfügbar.
- **Weitere ökologische Hinweise:**
- **Allgemeine Hinweise:**
Wassergefährdungsklasse 1 (Selbsteinstufung): schwach wassergefährdend
Nicht in das Grundwasser, in Gewässer oder in die Kanalisation gelangen lassen.
- **Ergebnisse der PBT- und vPvB-Beurteilung**
- **PBT:** Nicht anwendbar.
- **vPvB:** Nicht anwendbar.
- **Andere schädliche Wirkungen** Keine weiteren relevanten Informationen verfügbar.

13 Hinweise zur Entsorgung

- **Verfahren der Abfallbehandlung**
- **Empfehlung:**
Muß unter Beachtung der Sonderabfallvorschriften nach Vorbehandlung einer hierfür zugelassenen Sonderabfalldeponie oder Sonderabfallverbrennungsanlage zugeführt werden.
- **Ungereinigte Verpackungen:**
- **Empfehlung:** Entsorgung gemäß den behördlichen Vorschriften.

DE

(Fortsetzung auf Seite 6)

Sicherheitsdatenblatt

gemäß 1907/2006/EG, Artikel 31

Druckdatum: 28.03.2022

Versionsnummer 1

überarbeitet am: 28.03.2022

Handelsname: LOBATOOL Repairset

(Fortsetzung von Seite 5)

14 Angaben zum Transport

- **UN-Nummer**
- **DOT, ADR, ADN, IMDG, IATA** entfällt
- **Ordnungsgemäße UN-Versandbezeichnung**
- **DOT, ADR, ADN, IMDG, IATA** entfällt
- **Transportgefahrenklassen**
- **DOT, ADR, ADN, IMDG, IATA**
- **Class** entfällt
- **Verpackungsgruppe**
- **DOT, ADR, IMDG, IATA** entfällt
- **Umweltgefahren:** Nicht anwendbar.
- **Besondere Vorsichtsmaßnahmen für den Verwender** Nicht anwendbar.
- **Massengutbeförderung gemäß Anhang II des MARPOL-Übereinkommens und gemäß IBC-Code** Nicht anwendbar.
- **UN "Model Regulation":** entfällt

15 Rechtsvorschriften

- **Vorschriften zu Sicherheit, Gesundheits- und Umweltschutz/spezifische Rechtsvorschriften für den Stoff oder das Gemisch**
- **TSCA (Toxic Substances Control Act):** All components are on the TSCA inventory
- **Hazardous Air Pollutants**
- Keiner der Inhaltsstoffe ist enthalten.
- **Proposition 65**
- **Chemicals known to cause cancer:**
- None of the ingredients is listed.
- **Chemicals known to cause reproductive toxicity for females:**
- Keiner der Inhaltsstoffe ist enthalten.
- **Chemicals known to cause reproductive toxicity for males:**
- Keiner der Inhaltsstoffe ist enthalten.
- **Chemicals known to cause developmental toxicity:**
- Keiner der Inhaltsstoffe ist enthalten.
- **GHS-Kennzeichnungselemente** entfällt
- **Gefahrenpiktogramme** entfällt
- **Signalwort** entfällt
- **Gefahrenhinweise** entfällt
- **Stoffsicherheitsbeurteilung:** Eine Stoffsicherheitsbeurteilung wurde nicht durchgeführt.

16 Sonstige Angaben

Die Angaben stützen sich auf den heutigen Stand unserer Kenntnisse, sie stellen jedoch keine Zusicherung von Produkteigenschaften dar und begründen kein vertragliches Rechtsverhältnis.

Geänderte Kapitel sind mit einem Stern (*) gekennzeichnet

- **Relevante Sätze**

H227 Brennbare Flüssigkeit.

H302 Gesundheitsschädlich bei Verschlucken.

H311 Giftig bei Hautkontakt.

(Fortsetzung auf Seite 7)

Sicherheitsdatenblatt

gemäß 1907/2006/EG, Artikel 31

Druckdatum: 28.03.2022

Versionsnummer 1

überarbeitet am: 28.03.2022

Handelsname: LOBATOOL Repairset

(Fortsetzung von Seite 6)

H315 Verursacht Hautreizungen.
 H319 Verursacht schwere Augenreizung.
 H331 Giftig bei Einatmen.
 H332 Gesundheitsschädlich bei Einatmen.

· **Datenblatt ausstellender Bereich:** Produktmanagement

· **Ansprechpartner:**

· **Date of preparation / last revision** 28.03.2022 / -

· **Abkürzungen und Akronyme:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Entz. Fl. 4: Entzündbare Flüssigkeiten – Kategorie 4

Akut Tox. 4: Akute Toxizität – Kategorie 4

Akut Tox. 3: Akute Toxizität – Kategorie 3

Hautreiz. 2: Hautreizende/-ätzende Wirkung – Kategorie 2

Eye Irritation 2A: Schwere Augenschädigung/Augenreizung – Kategorie 2A

· *** Daten gegenüber der Vorversion geändert**