
Printing date 24.02.2022

Version number 11 (replaces version 10)

Revision: 24.02.2022



(Contd. on page 2)

Printing date 24.02.2022

Version number 11 (replaces version 10)

Revision: 24.02.2022

Product name LOBACARE WaxCleaner

(Contd. of page 1)

3.2 Mixtures Description: Mixture of the substa	ances listed below with harmless additions.	
Dangerous components:		
CAS: 97489-15-1	Sulfonic acids, C14-17-sec-alkane, sodium salts	<i>≥</i> 3-<5%
EC number: 307-055-2 Reg.nr.: 01-2119489924-20-0000	Eye Dam. 1, H318; (1) Acute Tox. 4, H302; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	
CAS: 68920-66-1 NLP: 500-236-9	fatty alcohols, C16-C18 and C18-unsaturated, ethoxylated	≥1-<2.5%
Reg.nr.: 01-2119489924-20-0000	📀 Eye Dam. 1, H318; 🚯 Acute Tox. 4, H302	
CAS: 55965-84-9 EC number: 911-418-6 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48	reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute	≥0.00025-<0.0015%
	<i>Tox. 2, H330;</i> ↔ <i>Skin Corr. 1C, H314; Eye Dam.</i> 1, H318; ↔ <i>Aquatic Acute 1, H400 (M=100);</i> <i>Aquatic Chronic 1, H410 (M=100);</i> ↔ <i>Skin Sens.</i> 1A, H317	
	Specific concentration limits: Skin Corr. 1C;H314: $C \ge 0.6 \%$ Skin Irrit. 2; H315: 0.06 $\% \le C < 0.6 \%$ Eye Dam. 1; H318: $C \ge 0.6 \%$ Eye Irrit. 2; H319: 0.06 $\% \le C < 0.6 \%$	

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• After inhalation Supply fresh air; consult doctor in case of symptoms.

· After skin contact The product is not skin irritating.

- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Inform respective authorities in case product reaches water or sewage system.

Dilute with much water.

(Contd. on page 3)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.02.2022

Version number 11 (replaces version 10)

Revision: 24.02.2022

(Contd. of page 2)

Product name LOBACARE WaxCleaner

- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · 6.4 Reference to other sections
- No dangerous materials are released.
- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.
- See Section 13 for information on disposal.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Storage class 12
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures Wash hands during breaks and at the end of the work.
- · Breathing equipment: Not required.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Recommended thickness of the material: $\geq 0.4 \text{ mm}$

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 6).

- *Value for the permeation: Level* ≤ 6
- · Eye/face protection Safety glasses recommended during refilling.

(Contd. on page 4)

GB

Printing date 24.02.2022

*

Version number 11 (replaces version 10)

Revision: 24.02.2022

Product name LOBACARE WaxCleaner

(Contd. of page 3)

9.1 Information on basic physical and chemical p	roperties
General Information	
Physical state	Fluid
Colour:	According to product specification
Smell:	Recognisable
Odour threshold:	Not determined.
Melting point/freezing point:	Not determined
Boiling point or initial boiling point and boiling	
range	Not determined
Flammability	Not applicable.
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable
Decomposition temperature:	Not determined.
pH at 20 °C	6.3
Viscosity:	
Kinematic viscosity at 20 °C	0 s (DIN 53211/4)
dynamic:	Not determined.
Solubility	
Water:	Fully miscible
Partition coefficient n-octanol/water (log value)	Not determined.
Steam pressure:	Not determined.
Density and/or relative density	1101 uctor mineu.
Density at 20 °C	1.005 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
· ·	
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health an	d
environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Solids content:	15.9 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classe	25
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void

according to 190//2006/EC, Article

Printing date 24.02.2022

Version number 11 (replaces version 10)

Revision: 24.02.2022

(Contd. of page 4)

Product name LOBACARE WaxCleaner

· Desensitised explosives

Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 · Acute toxicity

· LD/LC50 values that are relevant for classification:

97489-15-1 Sulfonic acids, C14-17-sec-alkane, sodium salts

Oral LD50 >2,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (mouse)

55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Oral	LD50	457 mg/kg (rat)
	LD50	660 mg/kg (rat)
Inhalative	LC50/4 h	0.33 mg/l (rat)
	LC50/96 h	0.188 mg/L (fish)

· Serious eye damage/irritation Causes serious eye damage.

• 11.2 Information on other hazards

· Endocrine disrupting properties

1506-02-1	1-(5,6,7,8-Tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one (Fixolid)	List II
556-67-2	octamethylcyclotetrasiloxane	List II, III

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

EC50/48 h	0.1 mg/L (daphnia)

- EC50/72 h 0.027 mg/L (Algae) NOEC 0.0012 mg/L (Algae)
- 0.004 mg/L (daphnia) 0.098 mg/L (fish)

• 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.

• **vPvB:** Not applicable.

(Contd. on page 6)

Printing date 24.02.2022

Version number 11 (replaces version 10)

Revision: 24.02.2022

(Contd. of page 5)

Product name LOBACARE WaxCleaner

• 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
- · Additional ecological information:
- General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

• 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be landfilled or incinerated under adherence to the regulations pertaining to the disposal of especially hazardous waste.

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.*

· Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport informati	ion	
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
 14.5 Environmental hazards: Marine pollutant: 	No	
· 14.6 Special precautions for user	Not applicable.	
• 14.7 Maritime transport in bulk according instruments	g to IMO Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

• Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations

· Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 7)

GB

Printing date 24.02.2022

Version number 11 (replaces version 10)

Revision: 24.02.2022

Product name LOBACARE WaxCleaner

(Contd. of page 6)

SECTION 16: Other information These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Alteration in the context will be marked with a cross (*). · Relevant phrases H301 Toxic if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H330 Fatal if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. · Department issuing data specification sheet: Productmanagement. · Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 2: Acute toxicity - Category 2 Skin Corr. 1C: Skin corrosion/irritation - Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 • * Data compared to the previous version altered.