Printing date 03.04.2024

Version number 11 (replaces version 10)

Revision: 03.04.2024

· 1.1 Product identifier	
· Product name <u>TopGel</u>	
• Article number: 11455-000 • 1.2 Relevant identified uses of the substance or m No further relevant information available. • Application of the substance / the mixture Knife f	-
• 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier: LOBA GmbH & Co. KG Leonberger Straße 56 - 62 D-71254 Ditzingen	Tel.: +49 (0)7156/357-1
United Kingdom: Phi House Southampton Science Park Southampton, SO167NS United Kingdom Phone +442380766722	
1 none + 772300/00/22	
· Informing department: service@loba.de	SmbH +49 (0)6132-84463
• Informing department: service@loba.de • 1.4 Emergency telephone number:	SmbH +49 (0)6132-84463
 Informing department: service@loba.de 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number):GBK G SECTION 2: Hazards identification 2.1 Classification of the substance or mixture 	1272/2008
 Informing department: service@loba.de 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number):GBK G SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1 	272/2008 CLP regulation.
 Informing department: service@loba.de 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number):GBK G SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1 The product is not classified, according to the GB 2.2 Label elements Labelling according to Regulation (EC) No 1272/ Hazard pictograms Void Signal word Void Hazard statements Void Additional information: EUH208 Contains reaction mass of: 5-chloro-2- 	272/2008 CLP regulation.

- *PBT:* Not applicable. *vPvB:* Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

×

· Description: Mixture of the substances listed below with harmless additions.

· Dangerous components:		
CAS: 34590-94-8	Dipropylene glycol monomethyl ether	5-8.5%
<i>EINECS: 252-104-2</i>	substance with a Community workplace exposure	
Reg.nr.: 01-211-945-0011-60-xxxx		
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	<i>≤</i> 0.02%
EINECS: 220-120-9 Index number: 613-088-00-6	Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2,	
Reg.nr.: 01-2120761540-60	H315; Skin Sens. 1, H317	
Reg.m.: 01 2120701540 00	Specific concentration limit:	
	Skin Sens. 1; H317:C ≥ 0.05 %	
	•	(Contd. on page 2)

GB

Printing date 03.04.2024

Version number 11 (replaces version 10)

Revision: 03.04.2024

Product name TopGel

CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	(Contd. of pag ≤0.02%
EINECS: 220-120-9 Index number: 613-088-00-6 Reg.nr.: 01-2120761540-60	Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	-0.0270
	Specific concentration limit: Skin Sens. 1; H317:C \geq 0.05 %	
CAS: 55965-84-9 EC number: 911-418-6 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48	reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	≥0.00025-<0.0015
1.cg.m.: 01 2120/07071 10	 Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 	
	 (M=100); Aquatic Chronic 1, H410 (M=100); ♦ Skin Sens. 1A, H317, EUH071 Specific concentration limits: 	
	Specific concentration times. Skin Corr. 1C;H314: $C \ge 0.6 \%$ Skin Irrit. 2; H315: 0.06 % $\le C < 0.6 \%$	
	Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• After inhalation Supply fresh air; consult doctor in case of symptoms.

· After skin contact

In general, the product is not irritating to the skin. Wash off the product with plenty of soap and water after skin contact.

· After eye contact Rinse opened eye for several minutes under running water.

• *After swallowing* In case of persistent symptoms consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed Symptom Treat omatically.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents Use fire fighting measures that suit the environment.

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

• 5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Inform respective authorities in case product reaches water or sewage system. Dilute with much water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

• 6.4 Reference to other sections No dangerous materials are released. See Section 7 for information on safe handling

(Contd. on page 3)

GB

Printing date 03.04.2024

Version number 11 (replaces version 10)

Revision: 03.04.2024

Product name TopGel

See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling No special precautions necessary if used correctly.

- Information about protection against explosions and fires: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities

· Storage

- **Requirements to be met by storerooms and containers:** No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- · Storage class 12
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

34590-94-8 Dipropylene glycol monomethyl ether

WEL Long-term value: 308 mg/m³, 50 ppm

Sk

• Additional information: The lists that were valid during the compilation were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures Wash hands during breaks and at the end of the work.
- · Breathing equipment: Not required.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Recommended thickness of the material: ≥ 0.4 mm

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 6).

Value for the permeation: Level ≤ 6

· Eye/face protection Safety glasses recommended during refilling.

SECTION 9: Physical and chemical properties

•9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid Colour: According to product specification

(Contd. on page 4)

(Contd. of page 2)

GR

Printing date 03.04.2024

Version number 11 (replaces version 10)

Revision: 03.04.2024

Product name TopGel

		(Contd. of page
Smell:	Recognisable	
Odour threshold:	Not determined.	
Melting point/freezing point:	Not determined	
Boiling point or initial boiling point and boiling		
range	Not determined	
Flammability	Not applicable.	
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	Not applicable	
Decomposition temperature:	Not determined.	
рН	Not determined.	
Viscosity:		
Kinematic viscosity	Not determined.	
dynamic at 20 °C:	100,000 mPas	
Solubility		
Water:	Fully miscible	
Partition coefficient n-octanol/water (log value)	Not determined.	
Steam pressure:	Not determined.	
Density and/or relative density		
Density at 20 °C	1 g/cm³ (Dichtekugel 10ml 20°C)	
Relative density	Not determined.	
Vapour density	Not determined.	
Particle characteristics	not applicable, as liquid	
Appearance: Form: Important information on protection of health an	Pasty d	
environment, and on safety.		
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Change in condition	Not determined.	
Evaporation rate		
Information with regard to physical hazard classe		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void V-id	
Oxidising gases	Void V-id	
Gases under pressure	Void V-id	
Flammable liquids	Void V-id	
Flammable solids	Void Void	
Self-reactive substances and mixtures	Void Void	
Pyrophoric liquids	Void Void	
Pyrophoric solids	Void Void	
Self-heating substances and mixtures	r Olu	
Substances and mixtures, which emit flammable	Void	
gases in contact with water Oxidising liquids	Void	
	Void	
Oxidising solids Organic peroxides	Void	
Organic peroxides Corrosive to metals	Void	
Desensitised explosives	Void	
Desensuiseu exprosives	roiu	

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

(Contd. on page 5)

GB -

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.04.2024

Version number 11 (replaces version 10)

Revision: 03.04.2024

(Contd. of page 4)

Product name TopGel

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

34590-94-	8 Dipropyle	ne glycol monomethyl ether
Oral	LD50	5,135 mg/kg (rat)
Dermal	LD50	9,500 mg/kg (rat)
2634-33-5	1,2-benziso	thiazol-3(2H)-one
Oral	LD50	1,193 mg/kg (rat)
Dermal	LD50	4,115 mg/kg (rat)
2634-33-5	1,2-benziso	thiazol-3(2H)-one
Oral	LD50	1,193 mg/kg (rat)
Dermal	LD50	4,115 mg/kg (rat)
	LC50/96 h	2.18 mg/L (fish)
	2H-isothia	nass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl izol-3-one [EC no. 220-239-6] (3:1)
Oral	LD50	457 mg/kg (rat)
Dermal	LD50	660 mg/kg (rat)
Inhalative	LC50/4 h	0.33 mg/l (rat)
	LC50/96 h	0.188 mg/L (fish)
Serious ey Respirator Germ cell Carcinoge Reproduct STOT-sing STOT-repo	e damage/ir y or skin set mutagenicit nicity Based ive toxicity J gle exposure eated exposu	on Based on available data, the classification criteria are not met. ritation Based on available data, the classification criteria are not met. nsitisation Based on available data, the classification criteria are not met. ty Based on available data, the classification criteria are not met. I on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Pased on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Pased on available data, the classification criteria are not met. Pased on available data, the classification criteria are not met. Pased on available data, the classification criteria are not met. Pased on available data, the classification criteria are not met. Pased on available data, the classification criteria are not met. Pased on available data, the classification criteria are not met. Pased on available data, the classification criteria are not met. Pased on available data, the classification criteria are not met. Pased on available data, the classification criteria are not met. Pased on available data, the classification criteria are not met. Pased on available data, the classification criteria are not met. Pased on available data, the classification criteria are not met. Pased on available data, the classification criteria are not met. Pased on available data, the classification criteria are not met.

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

2634-33-5 1,2-benzisothiazol-3(2H)-one

EC50/48 h 2.94 mg/L (whereas)

NOEC 0.027 mg/L (whereas)

(Contd. on page 6)

GB

Printing date 03.04.2024

Version number 11 (replaces version 10)

Revision: 03.04.2024

Product name TopGel

*

55065 81	Quantian mass of 5 chlara	(Contd. of pa
55705-84-5	2H-isothiazol-3-one [EC no.	2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-meth 220-239-6] (3:1)
EC50/48 h	0.1 mg/L (daphnia)	· · · · · · · · · · · · · · · · · · ·
	0.027 mg/L (Algae)	
NOEC	0.0012 mg/L (Algae)	
	0.004 mg/L (daphnia)	
	0.098 mg/L (fish)	
12.5 Result PBT: Not a vPvB: Not 12.6 Endoo The produc 12.7 Other Additional General not Water haza	applicable. crine disrupting properties et does not contain substances adverse effects ecological information: otes: urd class 1 (Self-assessment): s	nt with endocrine disrupting properties.
13.1 Waste Recommen Must not be	e disposed of together with hou	utions usehold garbage. Do not allow product to reach sewage system. be landfilled or incinerated under adherence to the regulat
13.1 Waste Recommen Must not bu After priod pertaining Uncleaned Recommen	e treatment methods adation e disposed of together with hou r treatment product has to b to the disposal of especially ha packagings: adation: Disposal must be mad	usehold garbage. Do not allow product to reach sewage system. Se landfilled or incinerated under adherence to the regulat
13.1 Waste Recommen Must not be After prior pertaining Uncleaned Recommen Recommen	e treatment methods adation e disposed of together with hou r treatment product has to b to the disposal of especially ha packagings: adation: Disposal must be mad	usehold garbage. Do not allow product to reach sewage system. be landfilled or incinerated under adherence to the regulat azardous waste. le according to official regulations. 'necessary with cleaning agent.
13.1 Waste Recommen Must not be After prior pertaining Uncleaned Recommen Recommen SECTIO 14.1 UN n	e treatment methods adation e disposed of together with hou r treatment product has to b to the disposal of especially ha packagings: adation: Disposal must be mad aded cleaning agent: Water, if	usehold garbage. Do not allow product to reach sewage system. be landfilled or incinerated under adherence to the regulat azardous waste. le according to official regulations. 'necessary with cleaning agent.
13.1 Waste Recommen Must not be After prior pertaining Uncleaned Recommen Recommen SECTIO 14.1 UN nu ADR, ADN 14.2 UN pr	e treatment methods indation e disposed of together with hou r treatment product has to b to the disposal of especially had packagings: indation: Disposal must be mad inded cleaning agent: Water, if N 14: Transport informal number or ID number	usehold garbage. Do not allow product to reach sewage system. The landfilled or incinerated under adherence to the regulat azardous waste. The according to official regulations. The cessary with cleaning agent.
13.1 Waste Recommen Must not bu After priot pertaining Uncleaned Recommen Recommen SECTIO 14.1 UN m ADR, ADN 14.2 UN pt ADR, ADN	e treatment methods indation e disposed of together with hou r treatment product has to b to the disposal of especially ho packagings: indation: Disposal must be mad inded cleaning agent: Water, if N 14: Transport informa umber or ID number M, IMDG, IATA roper shipping name	usehold garbage. Do not allow product to reach sewage system. be landfilled or incinerated under adherence to the regulat azardous waste. le according to official regulations. "necessary with cleaning agent. tion Void
13.1 Waste Recommen Must not be After prior pertaining Uncleaned Recommen Recommen SECTIO 14.1 UN nu ADR, ADN 14.2 UN pr ADR, ADN 14.3 Trans ADR, ADN	e treatment methods indation e disposed of together with how r treatment product has to b to the disposal of especially how packagings: indation: Disposal must be mad inded cleaning agent: Water, if N 14: Transport informa with the second second second in the second second second in the second second second model of the second second second second second second model second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second sec	usehold garbage. Do not allow product to reach sewage system. be landfilled or incinerated under adherence to the regulat azardous waste. le according to official regulations. "necessary with cleaning agent. tion Void
13.1 Waste Recommen Must not be After prior pertaining Uncleaned Recommen Recommen SECTIO 14.1 UN nu ADR, ADN 14.2 UN pr ADR, ADN 14.3 Trans ADR, ADN Class 14.4 Packi	e treatment methods indation e disposed of together with hou r treatment product has to b to the disposal of especially had packagings: indation: Disposal must be mad inded cleaning agent: Water, if N 14: Transport informa with a cleaning agent water, if N 14: Transport informa umber or ID number J, IMDG, IATA port hazard class(es) J, IMDG, IATA	usehold garbage. Do not allow product to reach sewage system. The landfilled or incinerated under adherence to the regulat stardous waste. The according to official regulations. The according to official regulations.
13.1 Waste Recommen Must not be After priot pertaining Uncleaned Recommen Recommen SECTIO 14.1 UN nu ADR, ADN 14.2 UN pt ADR, ADN 14.3 Trans ADR, ADN Class 14.4 Packi ADR, IMD 14.5 Envir	e treatment methods indation e disposed of together with how r treatment product has to b to the disposal of especially has packagings: indation: Disposal must be mad inded cleaning agent: Water, if N 14: Transport informa with the cleaning agent of the clean ing group of, IATA ing group of, IATA onmental hazards:	usehold garbage. Do not allow product to reach sewage system. The landfilled or incinerated under adherence to the regulat azardous waste. The according to official regulations. Inecessary with cleaning agent. The Void Void Void Void
13.1 Waste Recommen Must not be After prior pertaining Uncleaned Recommen Recommen SECTIO 14.1 UN m ADR, ADN 14.2 UN pr ADR, ADN 14.3 Trans ADR, ADN Class 14.4 Packi ADR, IMD 14.5 Envir Marine por	e treatment methods indation e disposed of together with how r treatment product has to b to the disposal of especially ha packagings: indation: Disposal must be mad inded cleaning agent: Water, if N 14: Transport informat umber or ID number N, IMDG, IATA roper shipping name N, IMDG, IATA port hazard class(es) N, IMDG, IATA ing group OG, IATA onmental hazards: llutant:	usehold garbage. Do not allow product to reach sewage system. be landfilled or incinerated under adherence to the regulat uzardous waste. le according to official regulations. `necessary with cleaning agent. tion Void Void Void Void No
13.1 Waste Recommen Must not be After priod pertaining Uncleaned Recommen Recommen SECTIO 14.1 UN nu ADR, ADN 14.2 UN pu ADR, ADN 14.3 Trans ADR, ADN Class 14.4 Packi ADR, IMD 14.5 Envir Marine po 14.6 Specie	e treatment methods indation e disposed of together with hou r treatment product has to b to the disposal of especially ha packagings: indation: Disposal must be mad aded cleaning agent: Water, if N 14: Transport informa umber or ID number y, IMDG, IATA roper shipping name y, IMDG, IATA port hazard class(es) y, IMDG, IATA ing group oG, IATA onmental hazards: llutant: in precautions for user ime transport in bulk accordin	usehold garbage. Do not allow product to reach sewage system. be landfilled or incinerated under adherence to the regulat incardous waste. le according to official regulations. `necessary with cleaning agent. tion Void Void Void Void Noi Not applicable.

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.04.2024

Version number 11 (replaces version 10)

Revision: 03.04.2024

(Contd. of page 6)

Product name TopGel

· UN "Model Regulation":

Void

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations

· Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Alteration in the context will be marked with a cross (*).

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Relevant phrases

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- *H400 Very toxic to aquatic life.*
- *H410 Very toxic to aquatic life with long lasting effects.*
- *H411 Toxic to aquatic life with long lasting effects.*

EUH071 Corrosive to the respiratory tract.

· Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Department issuing data specification sheet: Product safety

• Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 8)

GB

Printing date 03.04.2024

Version number 11 (replaces version 10)

Revision: 03.04.2024

Product name TopGel

 IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 2 Skin Corr. IC: Skin corrosion/irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 	(Contd. of page 7)
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	
* * Data compared to the previous version altered.	GB-