Printing date 29.02.2024

Version number 12 (replaces version 11)

Revision: 29.02.2024

1.1 Product identifier	
Product name <u>2K Duo glänzend/gloss</u>	
Article number: 11466-2-000 <b>1.2 Relevant identified uses of the substance or mixture and uses ad</b> No further relevant information available. Application of the substance / the mixture Coating material Multi-pack product	vised against
1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: LOBA GmbH & Co. KG Leonberger Straße 56 - 62 D-71254 Ditzingen United Kingdom: Phi House Southampton Science Park Southampton, SO167NS United Kingdom	Tel.: +49 (0)7156/357-
<i>Phone</i> +442380766722	
Phone +442380766722 Informing department: service@loba.de	84463
Phone +442380766722 Informing department: service@loba.de 1.4 Emergency telephone number:	84463
Phone +442380766722 Informing department: service@loba.de 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132- SECTION 2: Hazards identification 2.1 Classification of the substance or mixture	84463
Phone +442380766722 Informing department: service@loba.de 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132- SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008	84463

Results of PBT and vPvB assessment

• *PBT:* Not applicable.

· vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

×

· Description: Mixture of the substances listed below with harmless additions.

• Dangerous components:		
	Dipropylene glycol monomethyl ether substance with a Community workplace exposure	2.5-5%
Reg.nr.: 01-211-945-0011-60-xxxx		
EINECS: 203-905-0 Index number: 603-014-00-0 Reg.nr.: 01-2119475108-36-xxxx	2-butoxyethanol Acute Tox. 3, H311; Acute Tox. 3, H331; ↑ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319 ATE: LD50 oral: 1,200 mg/kg LC50/4 h inhalative: 3 mg/l	<1.5%

(Contd. on page 2) GB

Printing date 29.02.2024

Version number 12 (replaces version 11)

Revision: 29.02.2024

#### Product name 2K Duo glänzend/gloss

	-	(Contd. of page
CAS: 78-93-3 EINECS: 201-159-0 Index number: 606-002-00-3 Reg.nr.: 01-2119457290-43-xxxx	butanone	<0.5%
CAS: 55965-84-9 EC number: 911-418-6 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48	reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	≥0.00025-<0.0015%

## **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

- After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact
- In general, the product is not irritating to the skin. Wash off the product with plenty of soap and water after skin contact.
- · After eye contact Rinse opened eye for several minutes under running water.
- After swallowing In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed Symptom Treat omatically.

### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

## **SECTION 6:** Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:
- Do not allow product to reach sewage system or water bodies.

Inform respective authorities in case product reaches water or sewage system. Dilute with much water.

- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · 6.4 Reference to other sections
- No dangerous materials are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

<sup>-</sup> GB

Printing date 29.02.2024

Version number 12 (replaces version 11)

Revision: 29.02.2024

#### Product name 2K Duo glänzend/gloss

See Section 13 for information on disposal.

### **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling No special precautions necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Storage class 12
- · 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

· 8.1 Control parameters

• Components with critical values that require monitoring at the workplace:

34590-94-8 Dipropylene glycol monomethyl ether

WEL Long-term value: 308 mg/m<sup>3</sup>, 50 ppm Sk

- 111-76-2 2-butoxyethanol
- WEL Short-term value: 246 mg/m<sup>3</sup>, 50 ppm Long-term value: 123 mg/m<sup>3</sup>, 25 ppm Sk, BMGV

#### 78-93-3 butanone

WEL Short-term value: 899 mg/m<sup>3</sup>, 300 ppm Long-term value: 600 mg/m<sup>3</sup>, 200 ppm Sk, BMGV

· Ingredients with biological limit values:

#### 111-76-2 2-butoxyethanol

BMGV 240 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: butoxyacetic acid

#### 78-93-3 butanone

BMGV 70 µmol/L Medium: urine Sampling time: post shift Parameter: butan-2-one

• *Additional information:* The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

• General protective and hygienic measures Wash hands during breaks and at the end of the work.

· Breathing equipment: Not required.

· Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)

(Contd. of page 2)

GB

Printing date 29.02.2024

Version number 12 (replaces version 11)

Revision: 29.02.2024

(Contd. of page 3)

#### Product name 2K Duo glänzend/gloss

### · Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Recommended thickness of the material:  $\geq 0.4$  mm

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 6).

*Value for the permeation: Level*  $\leq 6$ 

· Eye/face protection Safety glasses recommended during refilling.

SECTION 9: Physical and chemical prop	Jernes	
9.1 Information on basic physical and chemical p	properties	
General Information		
Physical state	Fluid	
Colour:	According to product specification	
Smell:	Recognisable	
Odour threshold:	Not determined.	
Melting point/freezing point:	Not determined	
Boiling point or initial boiling point and boiling		
range	Not determined	
Flammability	Not applicable.	
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	Not applicable	
Decomposition temperature:	Not determined.	
рН	Not determined.	
Viscosity:		
Kinematic viscosity at 20 °C	19 s (DIN 53211/4)	
dynamic:	Not determined.	
Solubility		
Water:	Fully miscible	
Partition coefficient n-octanol/water (log value)	Not determined.	
Steam pressure:	Not determined.	
Density and/or relative density		
Density at 20 °C	$1.04 \text{ g/cm}^3$	
Relative density	Not determined.	
Vapour density	Not determined.	
Particle characteristics	not applicable, as liquid	
9.2 Other information		
Appearance:		
Form:	Fluid	
Important information on protection of health an	d d	
environment, and on safety.		
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Solids content:	32.0 %	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard classe		
Explosives	Void	

(Contd. on page 5)

GB

Printing date 29.02.2024

Version number 12 (replaces version 11)

Revision: 29.02.2024

Product name 2K Duo glänzend/gloss

		(Contd. of page
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

## **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

21500 01		are relevant for classification:
		ene glycol monomethyl ether
Oral	LD50	5,135 mg/kg (rat)
Dermal	LD50	9,500 mg/kg (rat)
111-76-22	2-butoxyeth	anol
Oral	LD50	1,200 mg/kg (ATE)
		1,480 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (guinea pig)
Inhalative	LC50/4 h	3 mg/l (ATE)
		450 mg/l (rat)
	NOAEC	$> 125 mg/m^3$ (ra)
78-93-3 bi	itanone	
Oral	LD50	3,300 mg/kg (rat)
Dermal	LD50	5,000 mg/kg (rabbit)
Inhalative	LC50/4 h	12,000 mg/l (rat)
55965-84-	9 reaction	mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methy
	2H-isothi	azol-3-one [EC no. 220-239-6] (3:1)
Oral	LD50	457 mg/kg (rat)
Dermal	LD50	660 mg/kg (rat)

- Puge () GB

Printing date 29.02.2024

Version number 12 (replaces version 11)

Revision: 29.02.2024

(Contd. of page 5)

List II

Product name 2K Duo glänzend/gloss

Inhalative LC50/4 h 0.33 mg/l (rat)

LC50/96 h 0.188 mg/L (fish)

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

• *Germ cell mutagenicity* Based on available data, the classification criteria are not met. • *Carcinogenicity* Based on available data, the classification criteria are not met.

• **Reproductive toxicity** Based on available data, the classification criteria are not met.

• **STOT-single exposure** Based on available data, the classification criteria are not met.

• **STOT-repeated exposure** Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

• 11.2 Information on other hazards

· Endocrine disrupting properties

78-93-3 butanone

### **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:

55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

EC50/48 h 0.1 mg/L (daphnia)

EC50/72 h 0.027 mg/L (Algae)

NOEC 0.0012 mg/L (Algae) 0.004 mg/L (daphnia)

0.098 mg/L (fish)

• 12.2 Persistence and degradability No further relevant information available.

· 12.3 Bioaccumulative potential No further relevant information available.

· 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

• 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

· 12.7 Other adverse effects

• Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

### **SECTION 13: Disposal considerations**

### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be landfilled or incinerated under adherence to the regulations pertaining to the disposal of especially hazardous waste.

· Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)

<sup>·</sup> Uncleaned packagings:

Printing date 29.02.2024

Version number 12 (replaces version 11)

Revision: 29.02.2024

(Contd. of page 6)

#### Product name 2K Duo glänzend/gloss

· Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport informati	ion	
• 14.1 UN number or ID number • ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
• 14.7 Maritime transport in bulk according instruments	<b>g to IMO</b> Not applicable.	
· UN "Model Regulation":	Void	

### **SECTION 15: Regulatory information**

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

67-64-1 acetone

· Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations

· Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Alteration in the context will be marked with a cross (\*).

*This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.* 

(Contd. on page 8)

Listed

<sup>-</sup>

Printing date 29.02.2024

Version number 12 (replaces version 11)

Revision: 29.02.2024

### Product name 2K Duo glänzend/gloss

	me 2K Duo guinzena/gioss
	(Contd. of page
Relevan	nt phrases
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
	66 Repeated exposure may cause skin dryness or cracking.
	I Corrosive to the respiratory tract.
	ication according to Regulation (EC) No 1272/2008
	ssification of the mixture is generally based on the calculation method using substance data according
	ilation (EC) No 1272/2008.
Internatii IMDG: II IATA: Int GHS: GII EINECS: ELINCS: CAS: Ch LC50: La DBT: Per vPvB: ve ATE: Act Flam. Lia	ccord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning t onal Carriage of Dangerous Goods by Road) international Maritime Code for Dangerous Goods ternational Air Transport Association obally Harmonised System of Classification and Labelling of Chemicals · European Inventory of Existing Commercial Chemical Substances · European Inventory of Existing Commercial Chemical Substances · European List of Notified Chemical Substances emical Abstracts Service (division of the American Chemical Society) ethal concentration, 50 percent ethal dose, 50 percent rsistent, Bioaccumulative and Toxic ry Persistent and very Bioaccumulative ute toxicity estimate values q. 2: Flammable liquids – Category 2
Aguto To	x. 4: Acute toxicity – Category 4 x. 2: Acute toxicity – Category 2
Acute To.	
Acute To Acute To	x. 3: Acute toxicity – Category 3 x. 3: Acute toxicity – Category 3 r. 1C: Skin corrosion/irritation – Category 1C
Acute To Acute To Skin Cor Skin Irrit	x. 3: Acute toxicity – Category 3 r. 1C: Skin corrosion/irritation – Category 1C t. 2: Skin corrosion/irritation – Category 2
Acute To Acute To Skin Cor Skin Irrit Eye Dam	x. 3: Acute toxicity – Category 3 r. 1C: Skin corrosion/irritation – Category 1C t. 2: Skin corrosion/irritation – Category 2 n. 1: Serious eye damage/eye irritation – Category 1
Acute To Acute To Skin Cor Skin Irrit Eye Dam Eye Irrit.	x. 3: Acute toxicity – Category 3 r. 1C: Skin corrosion/irritation – Category 1C t. 2: Skin corrosion/irritation – Category 2 n. 1: Serious eye damage/eye irritation – Category 1 2: Serious eye damage/eye irritation – Category 2
Acute To Acute To Skin Cor Skin Irrit Eye Dam Eye Irrit. Skin Sens	x. 3: Acute toxicity – Category 3 r. 1C: Skin corrosion/irritation – Category 1C t. 2: Skin corrosion/irritation – Category 2 n. 1: Serious eye damage/eye irritation – Category 1 2: Serious eye damage/eye irritation – Category 2 s. 1A: Skin sensitisation – Category 1A
Acute To. Acute To. Skin Cor Skin Irrit Eye Dam Eye Irrit. Skin Sen STOT SE	x. 3: Acute toxicity – Category 3 r. 1C: Skin corrosion/irritation – Category 1C t. 2: Skin corrosion/irritation – Category 2 n. 1: Serious eye damage/eye irritation – Category 1 2: Serious eye damage/eye irritation – Category 2
Acute To Acute To Skin Cor Skin Irrit Eye Dam Eye Irrit. Skin Sens STOT SE Aquatic A Aquatic O	x. 3: Acute toxicity – Category 3 r. 1C: Skin corrosion/irritation – Category 1C 2: Skin corrosion/irritation – Category 2 2: Serious eye damage/eye irritation – Category 1 2: Serious eye damage/eye irritation – Category 2 5: IA: Skin sensitisation – Category 1A 2: Specific target organ toxicity (single exposure) – Category 3