
Version number 2 (replaces version 1)

Revision: 12.09.2023



Printing date 12.09.2023

Version number 2 (replaces version 1)

Revision: 12.09.2023

Product name Stain Heritage Brown

| | present and eas | inse cautiously with water for several minutes. Remove con y to do. Continue rinsing. | · | |
|---|--------------------------|---|----------|--|
| P501 | | Dispose of contents/container in accordance with local/regional/national/international regulations. | | |
| · 2.3 Other h | 0 | | | |
| | PBT and vPvB assessme | ent | | |
| • PBT: Not a • vPvB: Not a | | | | |
| · VF VD: 1\01 U | | | | |
| | | | | |
| SECTIO | V 3: Composition/in | formation on ingredients | | |
| · 3.2 Mixture | 25 | | | |
| · Description | : Mixture of the substan | nces listed below with harmless additions. | | |
| · Dangerous | components: | | | |
| CAS: 64-17 | -5 | ethanol | ≥25-<50% | |
| EINECS: 20 | | 🐵 Flam. Liq. 2, H225; 🚺 Eye Irrit. 2, H319 | | |
| | er: 603-002-00-5 | Specific concentration limit: Eye Irrit. 2; H319: $C \ge 50 \%$ | | |
| Reg.nr.: 01- | -2119457610-43-xxxx | | | |
| CAS: 34590 | | Dipropylene glycol monomethyl ether | 25-50% | |
| EINECS: 25 | | substance with a Community workplace exposure limit | | |
| Reg.nr.: 01- | -211-945-0011-60-xxxx | | | |
| CAS: 78-93 | 2 | butanone | < 0.5% | |

♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319; STOT SE 3,

• Additional information For the wording of the listed hazard phrases refer to section 16.

H336, EUH066

SECTION 4: First aid measures

• 4.1 Description of first aid measures

EINECS: 201-159-0

Index number: 606-002-00-3

Reg.nr.: 01-2119457290-43-xxxx

- After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact The product is not skin irritating.
- · After eye contact Rinse opened eye for several minutes under running water.
- After swallowing In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.

- For safety reasons unsuitable extinguishing agents Water.
- *Water with a full water jet.*
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

(Contd. on page 3)

Printing date 12.09.2023

Version number 2 (replaces version 1)

Revision: 12.09.2023

Product name Stain Heritage Brown

| | (Contd. of page 2 |
|---|-------------------|
| 6.2 Environmental precautions: | |
| Do not allow product to reach sewage system or water bodies. | |
| Prevent material from reaching sewage system, holes and cellars. | |
| Inform respective authorities in case product reaches water or sewage system. | |
| 6.3 Methods and material for containment and cleaning up: | |
| Absorb with liquid-binding material (sand, diatomite, acid binders, universal b | inders, sawdust). |
| Ensure adequate ventilation. | |
| Do not flush with water or aqueous cleansing agents | |
| 6.4 Reference to other sections | |
| See Section 7 for information on safe handling | |
| See Section 8 for information on personal protection equipment. | |
| See Section 13 for information on disposal. | |
| SECTION 7: Handling and storage | |
| 7.1 Precautions for safe handling | |
| Keep containers tightly sealed. | |
| Store in cool, dry conditions in well sealed containers. | |
| Information about protection against explosions and fires: | |
| Keep ignition sources away - Do not smoke. | |
| Protect against electrostatic charges. | |
| 7.2 Conditions for safe storage, including any incompatibilities | |
| 7. Z CONDITIONS FOR SALE STORAGE. INCLUDING ANY INCOMPATIDUTIES | |
| 7.2 Conditions for safe storage, including any incompatibilities Storage | |
| 7.2 Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and containers: Store in cool location. | |

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.
- · Storage class 3
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

34590-94-8 Dipropylene glycol monomethyl ether

WEL Long-term value: 308 mg/m³, 50 ppm Sk

78-93-3 butanone

WEL Short-term value: 899 mg/m³, 300 ppm Long-term value: 600 mg/m³, 200 ppm Sk, BMGV

· Ingredients with biological limit values:

78-93-3 butanone

BMGV 70 µmol/L Medium: urine Sampling time: post shift Parameter: butan-2-one

• Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

(Contd. on page 4)

GB

Printing date 12.09.2023

Version number 2 (replaces version 1)

Revision: 12.09.2023

(Contd. of page 3)

Product name Stain Heritage Brown

| Individual protection measur | es, such as personal | protective equipment |
|--|----------------------|----------------------|
|--|----------------------|----------------------|

- · General protective and hygienic measures Wash hands during breaks and at the end of the work.
- Breathing equipment: Not required.
- · Hand protection

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- · Material of gloves
- Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Recommended thickness of the material: ≥ 0.4 mm
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 6).

- *Value for the permeation: Level* ≤ 6
- · Eye/face protection Tightly sealed safety glasses.

SECTION 9: Physical and chemical properties

| • 9.1 Information on basic physical and chemical p | properties |
|--|------------------------------------|
| · General Information | |
| · Physical state | Fluid |
| · Colour: | According to product specification |
| · Smell: | Recognisable |
| · Odour threshold: | Not determined. |
| • Melting point/freezing point: | Not determined |
| · Boiling point or initial boiling point and boiling | |
| range | Not determined |
| · Flammability | Highly flammable. |
| · Lower: | Not determined. |
| · Upper: | Not determined. |
| · Flash point: | 17 °C |
| · Decomposition temperature: | Not determined. |
| · pH | Not determined. |
| · Viscosity: | |
| · Kinematic viscosity | Not determined. |
| · dynamic: | Not determined. |
| · Šolubility | |
| · Water: | Not miscible or difficult to mix |
| · Partition coefficient n-octanol/water (log value) | Not determined. |
| · Steam pressure: | Not determined. |
| Density and/or relative density | |
| · Density at 20 °C | $0.9 \ g/cm^3$ |
| Relative density | Not determined. |
| · Vapour density | Not determined. |
| • 9.2 Other information | |
| · Appearance: | |
| · Form: | Fluid |
| · r orm. | Fiula (Contd. on page 5 |

(Contd. on page 5)

GB

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.09.2023

Version number 2 (replaces version 1)

Revision: 12.09.2023

Product name Stain Heritage Brown

| | (Contd. of page 4 |
|---|---|
| Important information on protection of heal environment, and on safety. | th and |
| Self-inflammability: | Product is not selfigniting. |
| Explosive properties: | Product is not explosive. However, formation of explosive air/steam mixtures is possible. |
| Change in condition | |
| Evaporation rate | Not determined. |
| Information with regard to physical hazard | classes |
| Explosives | Void |
| Flammable gases | Void |
| Aerosols | Void |
| Oxidising gases | Void |
| Gases under pressure | Void |
| Flammable liquids | Highly flammable liquid and vapour. |
| Flammable solids | Void |
| Self-reactive substances and mixtures | Void |
| Pyrophoric liquids | Void |
| Pyrophoric solids | Void |
| Self-heating substances and mixtures | Void |
| Substances and mixtures, which emit flamm | able |
| gases in contact with water | Void |
| Oxidising liquids | Void |
| Oxidising solids | Void |
| Organic peroxides | Void |
| Corrosive to metals | Void |
| Desensitised explosives | Void |

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

| • LD/LC50 values that are relevant for classification |
|---|
|---|

| 64-17-5 et | hanol | |
|--------------------|------------|-----------------------------|
| Oral | LD50 | 7,060 mg/kg (rat) |
| Inhalative | LC50/4 h | 20,000 mg/l (rat) |
| 34590-94- | 8 Dipropyl | ene glycol monomethyl ether |
| Oral | LD50 | 5,135 mg/kg (rat) |
| Dermal | LD50 | 9,500 mg/kg (rat) |
| 7 8-93-3 bu | itanone | |
| Oral | LD50 | 3,300 mg/kg (rat) |
| Dermal | LD50 | 5,000 mg/kg (rabbit) |
| Inhalative | LC50/4 h | 12,000 mg/l (rat) |
| | | (Contd. on page |

Printing date 12.09.2023

Version number 2 (replaces version 1)

Revision: 12.09.2023

(Contd. of page 5)

Product name Stain Heritage Brown

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
 11.2 Information on other hazards
- Endocrine disrupting properties

78-93-3 butanone

List II

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be landfilled or incinerated under adherence to the regulations pertaining to the disposal of especially hazardous waste.

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.*

| · 14.1 UN number or ID number | |
|--------------------------------|--|
| · ADR, IMDG, IATA | UN1263 |
| · 14.2 UN proper shipping name | |
| ·ADR | 1263 PAINT (vapour pressure at 50°C not more tha |
| | 110 kPa) |
| · IMDG, IATA | PAINT |

Printing date 12.09.2023

Version number 2 (replaces version 1)

Revision: 12.09.2023

Product name Stain Heritage Brown

| | (Contd. of page |
|--|---|
| · 14.3 Transport hazard class(es) | |
| · ADR, IMDG, IATA | |
| | |
| · Class | 3 Flammable liquids. |
| · Label | 3 |
| · 14.4 Packing group · ADR, IMDG, IATA | II |
| 14.5 Environmental hazards: Marine pollutant: | No |
| · 14.6 Special precautions for user | Warning: Flammable liquids. |
| · Kemler Number: | 33 |
| · EMS Number: | <i>F-E</i> , <u><i>S-E</i></u> |
| · Stowage Category | В |
| • 14.7 Maritime transport in bulk according instruments | to IMO Not applicable. |
| · Transport/Additional information: | |
| · ADR · Limited quantities (LQ) | 5L G L F2 |
| • Excepted quantities (EQ) | Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml |
| · Transport category | 2 |
| • Tunnel restriction code | D/E |
| · IMDG | |
| · Limited quantities (LQ) | 5L |
| • Excepted quantities (EQ) | Code: E2 |
| | Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml |
| · UN "Model Regulation": | UN 1263 PAINT (VAPOUR PRESSURE AT 50°C NC MORE THAN 110 KPA), 3, II |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

· Seveso category P5c FLAMMABLE LIQUIDS

- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

· National regulations

- Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 8)

GB

Printing date 12.09.2023

Version number 2 (replaces version 1)

Product name Stain Heritage Brown

| | (Contd. of page 7) |
|--|--|
| This Safety | n the context will be marked with a cross (*). Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by (EU) 2020/878. |
| H319 Ca H336 Ma EUH066 Re Classificatio The classific | trases ighly flammable liquid and vapour. auses serious eye irritation. ay cause drowsiness or dizziness. epeated exposure may cause skin dryness or cracking. on according to Regulation (EC) No 1272/2008 cation of the mixture is generally based on the calculation method using substance data according on (EC) No 1272/2008. |
| Abbreviatio, RID: Règlemer International 1 IATA-DGR: Da ICAO: International C ICAO: International C International C IMDG: International C IMDG: INTERNATio IMDG: INTERNATio IMD | t issuing data specification sheet: Product safety ns and acronyms: nt international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the Transport of Dangerous Goods by Rail) angerous Goods Regulations by the "International Air Transport Association" (IATA) tional Civil Aviation Organisation inical Instructions by the "International Civil Aviation Organisation" (ICAO) relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the Carriage of Dangerous Goods by Road) ational Maritime Code for Dangerous Goods tional Air Transport Association P Harmonised System of Classification and Labelling of Chemicals opean Inventory of Existing Commercial Chemical Substances pean List of Notified Chemical Substances 1 Abstracts Service (division of the American Chemical Society) concentration, 50 percent 4. Bioaccumulative and Toxic rsistent and very Bioaccumulative Flammable liquids – Category 2 perious eye damage/eye irritation – Category 2 pecific target organ toxicity (single exposure) – Category 3 |